8900177

# THE UNITED STANKS OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHALL COME;

# pioneer Gi-Bred International, Inc.

Tothereas, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to expude others from selling the variety, or offering it for sale, or reproducing it, apporting it, or exporting it, or using it in producing a hybrid or different y therefrom, to the extent provided by the Plant Variety Protection Act 1542, as amended, 7 u.s.c. 2321 et seq.)

SO YBEAN

194611

In Esstimony Withercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of August in the year of our Lord one thousand nine hundred and ninety-one.

Kenneth HEor

Plant Variety Protection Office Superaltural Marketing Service

CD | | Al Secretary of Agriculture

U.S. DEPARTMEN	T OF AGRICULT	URE		FOR	M APPROV	ED: OMB NO, 0681-0065
AGRICULTURAL M	•		N CERTIFICATE	if a p	iant variety wed (7 U.S	ulred in order to determine protection certificate is to .C. 2421). Information is
	ns on reverse)	.0110	W CENTIN TOATE		confidential S.C. 2426).	until certificate is issued
1. NAME OF APPLICANT(S)		2. TE	MPORARY DESIGNATION	3. V	ARIETY N	AME
Pioneer Hi-Bred International	, Inc.				9461	
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	ite, and Zip Code)	5. PH	ONE (Include area code)			ICIAL USE ONLY
700 Capital Square				PVP	NUMBER	
400 Locust Street Des Moines, IA 50309		31	9-234-0335		89	900177
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (80	tanical)	-	DATE	u. 17 1989
Glycine Max	Legumir	nosae		FILING	TIME	
8. KIND NAME	9.	DATE	OF DETERMINATION	+	AMOUNT	FOR FILING
Coukean	ļ	0cto	ber, 1983	<u>Q</u>	s 180	ر میں۔ ۔ ۔ ۔ ۔ ۔ ۔ <u>۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ ۔ </u>
Soybean			ary, 1987(increa	SETVED	Open	17.1989
10. IF THE APPLICANT NAMED IS NOT A "PERSO	N," GIVE FORM	OF OR	GANIZATION (Corporation	RECI	AMOUNT	FOR CERTIFICATE
partnership, association, etc.)				EES	3 200	
Corporation			•		aug	13,1991
11. IF INCORPORATED, GIVE STATE OF INCORPORATION  IOWA					1926	ICORPORATION
13. NAME AND ADDRESS OF APPLICANT REPRE	SENTATIVE(S)	F ANY	TO SERVE IN THIS APPL			EIVE ALL PAPERS
Clark W. Jennings John & 3261 West Airline Highway 730 Waterloo, IA 50703-9610 P.O.	Lam Co.	Ave !	Mary Helen Mitch 700 Capital Squa Des Moines, IA PHONE (Include a)	re - 5030	)9	cust Street
14. CHECK APPROPRIATE BOX FOR EACH ATTAI  2. X Exhibit A, Origin and Breeding History of			. 62 of the Dlant Variety Pr	atection	Acti	
b. (X) Exhibit B, Novelty Statement.	the variety (See	; Jec1107	1920) the Funt valuety x.	0.22		
c. 🖾 Exhibit C, Objective Description of Variety	y (Request form	from P	lant Variety Protection Offi	ice.)		
d. 🔲 Exhibit D, Additional Description of Vari	ety.		•			
e. X Exhibit E, Statement of the Basis of Appl 15. OOES THE APPLICANT(S) SPECIFY THAT SEE			COLD BY WARIETY NAM	E ONL S	AS A CLA	SS OF CERTIFIED
SEED? (See Section 83(a) of the Plant Variety Pro		1511 64	Yes (If "Yes," answer			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	VARIETY BE	17	7. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH ED7	CLASSES C	F PRODUCTION
Yes X No			Foundation	R	gistered	Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECTI	ION OF	THE VARIETY IN THE L	.s.7		Yes (If "Yes," give date)
					X	Йо
19. HAS THE VARIETY BEEN RELEASED, OFFER	ED FOR SALE,	OR MA	ARKETED IN THE U.S. OF	OTHE	R COUNT	RIES ? Yes (If "Yes," give names of countries and dates)
					X	No
20. The applicant(s) declare(s) that a viable samp plenished upon request in accordance with su				l with t	he applica	tion and will be re
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Se Variety Protection Act.	er(s) of this sex ction 41, and is	ually re s entitle	eproduced novel plant va ed to protection under th	riety, a e provi	nd believe sions of Se	(s) that the variety is ection 42 of the Plant
Applicant(s) is (are) informed that false repre	sentation herei	n can je	opardize protection and	result i	n penalties	s.
Mulh) Kemmer			÷	10	anie	16,1989
SIGNATURE OF APPLICANT				0/	TE	

FORM LS-470 (3-86) Attachment: 9461 Soybean (April, 1989)

Exhibit A:

Variety 9461 evolved from a cross of varieties (0351-29 x A4268) X (9401 X A3127). It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9461 was grown in Illinois during the summer of 1983. Subsequently, 9461 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Six acres of 9461 (breeder's seed) were grown in 1987. 99 acres of parent seedstock (foundation seed equivalent) were grown in 1988.

Exhibit B:

Variety 9461 is most similar to varieties 9442 and 9471. However, 9461 has white flowers and 9442 has purple flowers. 9461 is significantly shorter than 9471 by more than 15 cm (see Table 1.)

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9461, for which it solicits a certificate of protection.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARY LAND 20705

### **OBJECTIVE DESCRIPTION OF VARIETY**

SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	TEMPONANT DESIGNATION	9461
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code 700 Capital Square		FOR OFFICIAL USE ONLY PVPO NUMBER
400 Locust Street		8900177
Des Moines, IA 50309		<u> </u>
Choose the appropriate response which characterizes the vari in your answer is fewer than the number of boxes provided,	ety in the features described l place a zero in the first box w	below. When the number of significant digits hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	•	
2   L   W		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	<b>i</b> i	(L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 4 - Martine 2 - Carron 2 - Danson	4 = Black 5 = Other	(Specify)
1 1 = Yellow 2 = Green 3 = Brown	4 - Black 5 - Other	Specify
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
		,
1 5 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 - Yellow 0 - Court		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYPOCOTYL COLOR:		
1 or Cores and Million of Marie (	bronze band below cotyledons (*	Woodworth'r 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; '		WOOdward, Hacy
10. LEAFLET SHAPE:		
2 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
	- Other (Opcorry)	

11. LEAFLET SIZ	E:	
	nall ('Amsoy 71'; 'A5312')  2 = Medium ('Corsoy 79'; 'Gasoy 17')  arge ('Crawford'; 'Tracy')	
12. LEAF COLOF		
	ght Green ('Weber'; 'York')  2 = Medium Green ('Corsoy 79'; 'Braxton')  1rk Green ('Gnome'; 'Tracy')	
13. FLOWER COL	OR:	
1 1 = W	nite 2 = Purple 3 = White with purple throat	
14. POD COLOR:		
1 1 = T	n 2 = Brown 3 = Black	
15. PLANT PUBE	CENCE COLOR:	
2 1=G	ay 2 = Brown (Tawny)	
16. PLANT TYPES		
	nder ('Essex'; 'Amsoy 71')  2 = Intermediate ('Amcor'; 'Braxton')  shy ('Gnome'; 'Govan')	
17. PLANT HABIT		
	terminate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') leterminate ('Nebsoy'; 'Improved Pelican')	
18. MATURITY G	OUP:	
0 7 1 = 00 9 = VI	2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 10 = VII 11 = VIII 12 = IX 13 = X	
19. DISEASE REA	TION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	<del>-:</del>
BACTERIAL		
0 Bacter	al Pustule (Xanthomonas phaseoli var. sojensis)	
0 Bacter	al Blight <i>(Pseudomonas glycinea)</i>	
0 Wildfir	(Pseudomonas tabaci)	
FUNGAL DISE	ASES:	
	Spot (Septoria glycines)	
Frogey	Leaf Spot (Cercospora sojina)	
Race 1	Race 2 Race 3 Race 4 Race 5 Other (Specify)	
<u> </u>	pot (Corynespora cassiicola)	
0 Downy	Mildew (Peronospora trifoliorum var. manshurica)	
0 Powder	Mildew (Microsphaera diffusa)	:
0 Brown	Stem Rot (Cephalosporium gregatum)	
O Stem C	nker (Diaporthe phaseolorum var. caulivora)	

19. DISEA	ASE REACTIO	N: (Enter 0 = Not	Tested; 1 = Susceptible; 2 =	Resistant) (Continued)		
FUN	NGAL DISEAS	ES: (Continued)				
0	Pod and Ste	m Blight <i>(Diaporth</i>	e phaseolorum var; sojae)	•		
0	Purple Seed	Stain (Cercospora :	kikuchii)			
0	Rhizoctonia	Root Rot (Rhizoc	tonia solani)			
	Phytophtho	ra Rot <i>(Phytophthe</i>	ora megasperma var. sojae)			
$\begin{bmatrix} 1 \end{bmatrix}$	Race 1	1 Race 2	1 Race 3 1	Race 4	5 1 Race 6	1 Race 7
1	Race 8	1 Race 9	Other (Specify)			
VIR	AL DISEASES	:				
0		Tobacco Ringspot '	Virus)			
		ic (Bean Yellow M				
		aic (Cowpea Chlore	·			
		Bean Pod Mottle V		•		
	•	(Soybean Mosaic V		•		•
	ATODE DISE		irus)			
145141		n.				
	1	t Nematode (Heter				
	Race 1	Race 2	I Race 3 I	Race 4 Other	(Specify)	
0		tode <i>(Hoplolaimus (</i>				
	Southern Roo	ot Knot Nematode	(Meloidogyne incognita)			
0	Northern Roo	ot Knot Nematode	(Meloidogyne Hapla)		•	
0	Peanut Root	Knot Nematode (M	leloidogyne arenaria)			**
0	Reniform Nei	matode (Rotylench	ulus reniformis)			
	OTHER DISE	ASE NOT ON FO	RM (Specify):			
D. PHYSIO			0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)		
	Iron Chlorosis	on Calcareous Soi	ı			•
	Other (Specify	v)				
. INSECT	REACTION:	(Enter 0 = Not Tes	ted; 1 = Susceptible; 2 = Re	esistant)		
0	Mexican Bean	Beetle (Epilachna	varivestis)			
0	Potato Leaf H	opper (Empoasca f	abae)			
	Other (Specify	// <u> </u>				
. INDICAT	TE WHICH VA	RIETY MOST CLO	OSELY RESEMBLES THA	T SUBMITTED.		
	ACTER		OF VARIETY	CHARACTER	NAME O	F VARIETY
Plant Shar		9442		Seed Coat Luster	9442	, value ( 1
Leaf Shap	·	9471	······································	Seed Size	9471	
Leaf Colo	ır	9471		Seed Shape	9442	<u> </u>
Leaf Size		9442		Seedling Pigmentation	9471	
<del></del>						"

### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9461 Submitted	128	2.0	92.0			40.8	20.2	15.0	
9471 Name of Similar Variety	129	2.0	108.0			43.5	20.0	15.0	

### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.